

***LOCTITE***

**Product Catalogue  
2019**

This document is confidential and may contain legally privileged information. Errors and omissions excepted. All prices quoted exclude and are subject to GST.

IMAGE	DESCRIPTION	SIZE	CODE	BARCODE	BOX QTY
<b>Instant Adhesive - General</b>					
	<p><b>Loctite Super Glue Liquid</b> Loctite® Super Glue Liquid has proven superior performance over ordinary super glues. It works faster and holds stronger on more surfaces than ordinary instant adhesives thanks to a patented additive. The liquid formula works well on a variety of porous and non-porous surfaces and close fitting repairs. It dries clear and sets without clamping. Loctite® Super Glue Liquid is resistant to moisture, most chemicals and freezing temperatures.</p>	2g	2036150	79340687240	12
		3 x 1g	2039554	79340646025	6
	<p><b>Loctite Super Glue Gel</b> Loctite® Super Glue Gel has proven superior performance over ordinary super glues. It works faster and holds stronger on more surfaces than ordinary instant adhesives thanks to a patented additive. The gel formula works on a variety of porous and non-porous surfaces and is ideal for vertical surfaces and small gaps. Loctite® Super Glue Gel comes in a self-piercing tube; it dries clear and sets without clamping. It is also resistant to moisture, most chemicals and freezing temperatures.</p>	2g	2039562	79340689527	2
	<p><b>Loctite Super Glue Brush On</b> Loctite® Super Glue Brush On has proven superior performance over ordinary super glues. It works faster and holds stronger on more surfaces than ordinary instant adhesives thanks to a patented additive. The liquid formula works well on a variety of porous and non-porous surfaces and close fitting repairs. Loctite® Super Glue Brush On comes in a spill resistant bottle with a built-in brush applicator. It dries clear and sets without clamping. Loctite® Super Glue Brush On is resistant to moisture, most chemicals and freezing temperatures.</p>	5g	2002380	79340645929	3
	<p><b>Loctite Glass Glue</b> Loctite® Glass Glue is the only patented super glue specially formulated for bonding glass. Forming fast and durable joints, the bond is water and heat resistant to stand up to every day use. Loctite® Glass Glue dries clear, sets without clamping and is dishwasher safe.</p>	2g	2039573	79340689510	4
	<p><b>Loctite Super Glue Professional</b> Loctite® Super Glue Professional has proven superior performance over ordinary super glues. It works faster and holds stronger on more surfaces than ordinary instant adhesives thanks to a patented additive. The liquid formula works well on a variety of porous and non-porous surfaces and close fitting repairs. Loctite® Super Glue Professional's super strength formula is ideal for heavy-duty projects and repairs. It dries clear and sets without clamping. Loctite® Super Glue Professional is resistant to moisture, most chemicals and freezing temperatures.</p>	20g	2039545	79340686243	4

*This document is confidential and may contain legally privileged information. Errors and omissions excepted. All prices quoted exclude and are subject to GST.*

IMAGE	DESCRIPTION	SIZE	CODE	BARCODE	BOX QTY
<b>Instant Adhesive - General</b>					
	<p><b>Loctite Super Glue Longneck Bottle</b> Loctite® Super Glue Longneck Bottle features a precision tip which allows controlled application without dripping, thus less mess. It has an easy-open cap with a metal pin that cleans and seals the nozzle for a clog-free performance. The long nozzle is ideal for gluing hard to reach surfaces. The "finger friendly" bottle keeps fingers glue free, as well as allows for a continuous flow or a precise drop of glue. It bonds a variety of materials including leather, ceramic, rubber, paper, metal, china, wood and most plastics. Loctite® Super Glue Longneck Bottle dries clear and sets without clamping. It is also resistant to moisture, most chemicals and freezing temperatures.</p>	10g	2039547	79340303829	7
<b>Instant Adhesive - Control</b>					
	<p><b>Loctite Super Glue Ultra Gel Control</b> Loctite® Super Glue ULTRA Gel Control® is a specially formulated rubber toughened instant adhesive that resists impact, shock, vibration and temperature extremes. It is ideal for bonds subject to daily use and harsh conditions. The Rubber Toughened Formula is also Outdoor Safe and gives more time to align pieces before the glue takes hold. Loctite® Super Glue ULTRA Gel Control® comes in a patented side-squeeze design for maximum control and air-tight storage. It dries clear and sets without clamping. Loctite Super Glue ULTRA Gel Control is resistant to moisture and freezing temperatures.</p>	4g	2039558	79340686076	12
	<p><b>Loctite Super Glue Ultra Liquid Control</b> Loctite® Super Glue Ultra Liquid Control® is a user-friendly formulation designed for home use that forms strong rapid bonds between a wide range of common materials and offers improved performance in bonding materials exposed to moisture and humidity. The product provides rapid bonding to porous materials such as wood, paper, leather and fabric. Loctite® Super Glue Ultra Liquid Control® comes in a patented side-squeeze design for maximum control. It dries clear and sets without clamping. Water resistant and dishwasher safe for porcelain, plastic and wood.</p>	4g	2039556	79340689695	6

This document is confidential and may contain legally privileged information. Errors and omissions excepted. All prices quoted exclude and are subject to GST.

IMAGE	DESCRIPTION	SIZE	CODE	BARCODE	BOX QTY
<b>Epoxy</b>					
	<p><b>Loctite Epoxy Instant Mix 5min</b> Loctite® Epoxy 5 Minute Instant Mix™ is a two-part adhesive consisting of an epoxy resin and a hardener. When mixed in equal volumes, the resin and hardener react to produce a tough, rigid, high strength bond which starts to set in 5 minutes and reaches handling strength in 1 hour. The static mix nozzle delivers a uniform mixture of resin and hardener every time. It can be used as an adhesive for a wide range of materials or as versatile filler for gap bonding, surface repairs and laminating. Loctite® Epoxy 5 Minute Instant Mix™ does not shrink and is resistant to water and most common solvents. It can be tinted with earth pigments, cement or sand for colour matching and can be sanded and drilled.</p>	14ml	2040109	79340686205	6
	<p><b>Loctite Epoxy Instant Mix 1min</b> Loctite® Epoxy 1 Minute Instant Mix™ is a two-part adhesive consisting of an epoxy resin and a hardener. When mixed in equal volumes, the resin and hardener react to produce a tough, rigid, high strength bond, which starts to set in 1 minute and reaches handling strength in 5 to 10 minutes. The static mix nozzle delivers a uniform mixture of resin and hardener every time. It can be used as an adhesive for a wide range of materials or as versatile filler for gap bonding, surface repairs and laminating. Loctite® Epoxy 1 Minute Instant Mix™ does not shrink and is resistant to water and most common solvents. It can be tinted with earth pigments, cement or sand for colour matching and can be sanded and drilled.</p>	14ml	2040342	79340686274	minimum order qty
	<p><b>Loctite Epoxy Weld</b> Loctite® Epoxy Weld™ Bonding Compound is a two-part system consisting of an epoxy resin and a hardener. When mixed in equal volumes, the resin and hardener react to quickly produce a tough, rigid, high strength bond. Loctite® Epoxy Weld™ can be used as a convenient alternative to welding. It can be used as an adhesive for repairing, filling and rebuilding all metal and common surfaces. It cures to a metallic gray finish and can be easily sanded, drilled, machined or painted when fully cured. Loctite® Epoxy Weld™ does not shrink and is resistant to most shop fluids such as water, diesel fuel, gasoline, antifreeze, hydraulic fluid, motor oil and transmission fluids.</p>	2 x 28g	2040806	79340685789	6
	<p><b>Loctite Epoxy Plastic Bonder</b> Loctite® Epoxy Plastic Bonder is an acrylic formula that is specially formulated to bond and repair plastic surfaces. The convenient double syringe dispenses equal amounts of each component every time. When mixed in equal volumes, the components react to produce a tough, rigid, high strength bond in 20 to 25 minutes. Loctite® Epoxy Plastic Bonder does not shrink and is resistant to water, most common solvents and shop fluids. It has high impact resistance and can be sanded and drilled.</p>	25ml	2040082	79340685857	minimum order qty

*This document is confidential and may contain legally privileged information. Errors and omissions excepted. All prices quoted exclude and are subject to GST.*

IMAGE	DESCRIPTION	SIZE	CODE	BARCODE	BOX QTY
<b>Epoxy</b>					
	<p><b>Loctite Epoxy Marine</b> Loctite® Epoxy Marine is a two-part system consisting of an epoxy resin and a hardener. The convenient syringe dispenses equal amounts of each component every time. When mixed in equal volumes, the resin and hardener react to produce a tough, rigid, high strength bond in 120 minutes. It can be applied and cured underwater. Ideal for repairing pipes. It cures to an off-white finish and can be easily sanded or machined. It does not shrink and is resistant to water and most common solvents.</p>	25ml	2040341	79340647978	minimum order qty  8
	<p><b>Loctite Epoxy Metal / Concrete</b> Loctite® Epoxy Metal/Concrete is a two-part system consisting of an epoxy resin and a hardener. The convenient syringe dispenses equal amounts of each component every time. When mixed in equal volumes, resin and hardener react to produce a tough, rigid, high strength bond in 5 to 12 minutes. It is used as an adhesive for repairing, filling and rebuilding all metal and concrete surfaces. Loctite® Epoxy Metal/Concrete does not conduct electricity which is ideal for sealing electrical components. It cures to a metallic gray finish and can be easily sanded or machined. It does not shrink and is resistant to water and most common solvents.</p>	25ml	2040804	79340647961	minimum order qty  8
	<p><b>Loctite Epoxy Quick set</b> Loctite® Epoxy Quick Set™ is a two-part adhesive consisting of an epoxy resin and a hardener. When mixed in equal volumes, the resin and hardener react to produce a tough, rigid, high strength bond in 5 minutes for most projects. Available in a convenient dual syringe which delivers equal parts of both components every time. Loctite® Epoxy Quick Set™ can be used as an adhesive for a wide range of materials or as a versatile filler for gap filling, surface repairs and laminating. Loctite® Epoxy Quick Set™ does not shrink and is resistant to water and most common solvents. It can be tinted with earth pigments, cement or sand for colour matching. It can be sanded and drilled.</p>	25ml	2040810	79340815018	minimum order qty  8
	<p><b>Loctite Epoxy Gel</b> Loctite® Epoxy Gel is a two-part adhesive consisting of an epoxy resin and a hardener, available in a convenient dual syringe. When mixed in equal volumes, the resin and hardener react to produce a tough, rigid, high strength bond in 6 minutes. The gel formulation is ideal for vertical surfaces and overhead repairs where dripping may occur. It can be used as an adhesive for a wide range of materials or as a versatile filler for gap bonding, surface repairs and laminating. Loctite® Epoxy Gel does not shrink and is resistant to water and most common solvents. It can be tinted with earth pigments, cement or sand for colour matching. It can be sanded and drilled.</p>	25ml	2040809	79340324275	minimum order qty  8

*This document is confidential and may contain legally privileged information. Errors and omissions excepted. All prices quoted exclude and are subject to GST.*

IMAGE	DESCRIPTION	SIZE	CODE	BARCODE	BOX QTY
<b>Go2 All Purpose</b>					
	<p><b>Loctite Go2 Gel</b> Loctite® Go2® Gel contains a revolutionary FLEXTEC® formulation that bonds multi-materials when projects or repairs require higher viscosity, tremendous bond strength, and resistance to extreme conditions. It is a versatile, gap-filling adhesive that bonds, seals and repairs almost all materials. It is ideal for bonds subject to harsh or extreme conditions or for situations where constant flexing is a problem. It can be used indoors and outdoors, has excellent adhesion and high initial grab that cures quickly. Loctite Go2 Gel dries clear and creates a flexible and durable bond which is dishwasher safe and has excellent resistance to vibration, impact, moisture, UV and extreme temperatures, offering long reliability anywhere it is used.</p>	18ml	2007648	9313156006279	5
<b>Contact Adhesive</b>					
	<p><b>Loctite Clear Silicone Water Proof Sealant</b> Loctite® Clear Silicone is a multipurpose adhesive and sealant which creates a waterproof, protective seal that is ideal for metal, glass, rubber, tile and porcelain. It is designed to be used indoors and outdoors to repair everything from electrical connections to seams on boots to stop leaks in wet weather. Loctite® Clear Silicone can be used to bond or repair saltwater or freshwater aquariums.</p>	80ml	2001083	79340308084	6
	<p><b>Loctite Stik'n Seal Outdoor Adhesive</b> Loctite Stik'N Seal Outdoor Adhesive is a versatile high-performance adhesive sealant formulated for all-purpose projects and repairs. This semi-flexible crystal-clear adhesive is designed to address the daily needs of the homeowner, both indoor and outdoor.</p>	29ml	2045441	79340646049	6 minimum order qty
	<p><b>Loctite Stik'n Seal Indoor Adhesive</b> Loctite® Stik'N Seal® Indoor Adhesive is an all-purpose adhesive that takes care of almost every repair you can imagine. It produces a powerful water-resistant bond without nasty fumes, dries crystal clear and is acid-free. This high strength acrylic eliminated the frustration associated with solvent-based adhesives and is ideal for indoor use where ventilation is poor and on projects/crafts requiring continued use or use with children. Product applies white and dries clear.</p>	59ml	212220	79340258273	6
	<p><b>Loctite Vinyl, Fabric and Plastic Flexible Adhesive</b> Loctite® Vinyl, Fabric &amp; Plastic Flexible Adhesive is a clear liquid adhesive formulated for repairing and mending flexible plastics such as vinyl seats, cushions, tarps and outdoor gear. The adhesive is highly flexible to withstand bending and torsion. It dries to a transparent and waterproof bond. It will not yellow or go brittle with age.</p>	30ml	1994974	79340685734	6 minimum order qty

*This document is confidential and may contain legally privileged information. Errors and omissions excepted. All prices quoted exclude and are subject to GST.*

IMAGE	DESCRIPTION	SIZE	CODE	BARCODE	BOX QTY
<b>Threadlocker</b>					
	<p><b>Loctite Threadlocker Blue 242 - Nut &amp; Bolt Locker</b></p> <p>Loctite® Threadlocker Blue 242® is designed for the locking and sealing of threaded fasteners which require normal disassembly with standard hand tools. The product cures when confined in the absence of air between close fitting metal surfaces. It protects threads from rust and corrosion and prevents loosening from shock and vibration. Loctite® Threadlocker Blue 242® is particularly suited for applications on less active substrates such as stainless steel and plated surfaces, where disassembly is required for servicing.</p>	6ml	2035623	79340242005	12
	<p><b>Loctite Threadlocker Red 271 - Nut &amp; Bolt Locker</b></p> <p>Loctite® Threadlocker Red 271™ is designed for the permanent locking and sealing of threaded fasteners. The product cures when confined in the absence of air between close fitting metal surfaces. It protects threads from rust and corrosion and prevents loosening from shock and vibration. It is only removable once cured by heating up parts to 500°F (260°C).</p>	6ml	2040085	79340271005	12
<b>Sealant - Water Based</b>					
	<p><b>Loctite Renew</b> Loctite® RE-NEW is an innovative solution for repairing ugly looking caulk in your kitchen and bathroom. Easily repair moulding, yellowing and cracking old sealant joints in only one-step. No need to take out the old sealant, just pass over the existing sealant with Loctite RE-NEW specialty silicone for a long lasting and durable seal. As easy as using a highlighter with professional-like quality. Loctite RENEW is mould and mildew resistant once properly applied. One tube of Loctite RE-NEW covers one typical shower/tub application. RE-NEW your caulk like new, with Loctite RE-NEW.</p>	100ml	2082400	4015000437004	12



**LOCTITE®**

**ROKSET INDUSTRIES PTY LTD**  
**Customer Service Enquiries**

**P** 1800 ROKSET  
**F** 1800 030 301  
**W** [www.rokset.com.au](http://www.rokset.com.au)  
**E** [customerservice@rokset.com.au](mailto:customerservice@rokset.com.au)  
**F** [www.facebook.com/RoksetIndustries](http://www.facebook.com/RoksetIndustries)  
**A** 16-20 Ragless Street, St Marys, SA, 5042  
**ABN** 50 007 575 920

**Rokset+**

The mark of a proper painter.